


IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME


CB TEST CERTIFICATE

Product	Fixed socket-outlet
Name and address of the applicant	LEGRAND FRANCE 128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY 87045 LIMOGES CEDEX FRANCE
Name and address of the manufacturer	LEGRAND FRANCE 128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY 87045 LIMOGES CEDEX FRANCE
Name and address of the factory	See Annex
Note: When more than one factory, please report on page 2	<input checked="" type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	16A - 250V~ See Annex
Trademark (if any)	
Customer's Testing Facility (CTF) Stage used	/
Model / Type Ref.	Series : CELIANE References : See Annex
Additional information (if necessary may also be reported on page 2)	<input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 60884-1:2002(ed.3) +A1:2006 +A2:2013
As shown in the Test Report Ref. No. which forms part of this Certificate	60051320-552303A, 158526-730187G, 158526-730187A

This CB Test Certificate is issued by the National Certification Body

LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr

Date: 29/04/2019

Signature: **Didier BOURGES**
Manager of Certification Operations

ANNEX

Name and address of the factories:**LEGRAND FRANCE**

128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX
FRANCE

LEGRAND MAGYARORSZAG VILLAMOSSAGI RENDSZEREK Zrt

IPARTELEPI UT 14 PF 10
6600 SZENTES
HUNGARY


NP PLASTIC HUNGARIA

IPARIS PARK 07/6
5440 KUNSZENMARTON
HUNGARY



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr

Date: 29/04/2019



Signature: **Didier BOURGES**
Manager of Certification Operations

ANNEX (End)

Mechanisms

Type reference	References			Function	Terminals	Characteristics	Shutters	IP	Specificity
	White	Titanium	Graphite						
LXX09	0 681 19	0 684 19	0 679 13	2P+E	slt	16A 250V~	with	IP20	with USB type C

slt : screwless terminal

Characteristics

Standard sheet	III (CEE7)
Rated current (A) / rated voltage (V)	16A / 250V~
Degree de protection	IP20
Provision for earthing	With earthing contact
Method of connecting the cable	Rewirable
Type of terminals	Screwless (rigid and flexible)
Degree of protection against electric shock	Normal protection
Existence of shutters	With shutters
Method of application - mounting	Flush type Surface type (with boxes for surface mounting)
Method of installation	Design A

Component	Model	Manufacturer	Conformity
USB type C	LXX09	LEGRAND	TR LCIE 158526-730181

Accessories

Boxes for surface mounting

References	Designation
0 802 41	1 gang white
0 802 44	1 gang titanium

Cover plate (Between-axes 71)

	White	Titanium	Carbon
1 gang	0 666 31	0 689 01	0 689 81



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr

Date: 29/04/2019

Signature: **Didier BOURGES**
Manager of Certification Operations

