


NILOÉ^{STEP}


8 631 53 / 54, 8 633 53, 8 634 53, 8 635 53 / 54, 8 640 09, 8 640 18





8 640 18

8 631 53
8 633 53
8 634 53
8 635 53

			U / f	
-10°C ... +70°C	-5°C ... +40°C	40 mm	100 .. 240 V~ 50 / 60 Hz	8 mm 1...2.5 mm ²



	R	L	C/L		Dimmable	Dimmable LED
240V~ 50Hz	3 ... 400 W	3 ... 400 VA	3 ... 200 VA	3 ... 400 VA	3 ... 200 VA	3 ... 75 W ≤ 10 x
100V~ 60Hz	3 ... 200 W	3 ... 200 VA	3 ... 100 VA	3 ... 200 VA	3 ... 100 VA	3 ... 37 W ≤ 10 x



LE10218AC

1 **2**

AUX 1 +
AUX 2 -
ON/OFF

AUTO

C

L

max. $> 00:00:02$

min. $> 00:00:02$

MEM OFF ON 100% $> 00:00:02$

MEM OFF ON $> 00:00:02$

100% 66% 33% $> 00:00:02$

100% 66% 33% 01:00:00 $> 00:00:02$

100% $> 00:00:02$

100% $> 00:00:02$

<p>8 640 09 8 631 54 8 635 54</p>				U / f	
	-10°C ... +70°C	-5°C ... +40°C	40 mm	240 V~ 50 / 60 Hz	<p>8 mm 1,5 mm²</p>

<p>00:10</p>	R		L	C/L			
230 V	Max. 150 W	150 W	150 VA	150 VA	100VA	650 mA	650 mA
	Min. 12 W	12 W	12 VA	12 VA	12 VA	50 mA	50 mA

