

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Switches

Name and address of the applicant

LEGRAND Magyarország Villamossági Rendszerek ZRt.
Ipartelepi út 14.
6600 Szentés
Hungary

Name and address of the manufacturer

LEGRAND Magyarország Villamossági Rendszerek ZRt.
Ipartelepi út 14.
6600 Szentés
Hungary

Name and address of the factory

Note: When more than one factory, please report on page 2

LEGRAND Magyarország Villamossági Rendszerek ZRt.
Ipartelepi út 14.
6600 Szentés
Hungary

Ratings and principal characteristics

250 V~, 6 A or 6 AX or 10 AX or 16 AX

Trademark / Brand (if any)

legrand

Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

SU001P, CO26P, KCA1, RB6, RB6P, SU006P, SU001, BI10V1,
PE10V1, SU003, SU004, SU005, SU002 with "SUNO" design
For detailed type differences and designation
see from page 2 to page 5 of this CB Test Certificate.
For available accessories see CB Test Report.

Additional information (if necessary may also be reported on page 2)

See additional page(s) for further Additional information.

This CB Test Certificate replaces HU-003445, issued
2021-05-25 due to additional technical information.

A sample of the product was tested and found to be in conformity with

IEC 60884-1:2002+A1+A2

As shown in the Test Report Ref. No. which forms part of this Certificate

HU215VBB 001


This CB Test Certificate is issued by the National Certification Body



TÜV Rheinland InterCert Kft., MEEI Division
H-1143 Budapest, Gizella út 51-57., Hungary
Web: www.tuv.com

Date: 2023-03-16

Signature:



Tötös Tamás László

Additional information :

Type differences and designation:

Type reference: SU001P (with "SUNO" design)

Ratings: 250 V~, 6 A

Designation: one-way pushbutton switch

Type of term.: screwless

Ref. no.	Color	Type
7 211 09	white	basic model
7 211 10	white	illuminated with transp. rocker
7 211 13	white	with bell symbol
7 213 09	aluminium	basic model
7 213 10	aluminium	illuminated with transp. rocker
7 213 13	aluminium	with bell symbol
7 214 09	black	basic model
7 214 10	black	illuminated with transp. rocker
7 214 13	black	with bell symbol
7 212 09	ivory	basic model
7 212 10	ivory	illuminated with transp. rocker
7 212 13	ivory	with bell symbol

Type reference: CO26P (with "SUNO" design)

Ratings: 250 V~, 6 A

Designation: pull-cord changeover pushbutton

Type of term.: screwless

Ref. no.	Color	Type
7 211 00	white	basic model
7 213 00	aluminium	basic model
7 214 00	black	basic model
7 212 00	ivory	basic model

Type reference: KCA1 (with "SUNO" design)

Ratings: 250 V~, 6 A

Designation: mechanical keycard switch

Type of term.: screwless

Ref. no.	Color	Type
7 211 75	white	basic model
7 213 75	aluminium	basic model
7 214 75	black	basic model
7 212 75	ivory	basic model

Additional information :

Type reference: RB6 (with "SUNO" design)
Ratings: 250 V~, 6 AX
Designation: roller blind switch
Type of term.: screwless

Ref. no.	Color	Type
7 211 39	white	basic model
7 213 39	aluminium	basic model
7 214 39	black	basic model
7 212 39	ivory	basic model

Type reference: RB6P (with "SUNO" design)
Ratings: 250 V~, 6 A
Designation: roller blind pushbutton
Type of term.: screwless

Ref. no.	Color	Type
7 211 38	white	basic model
7 213 38	aluminium	basic model
7 214 38	black	basic model
7 212 38	ivory	basic model

Type reference: SU006P (with "SUNO" design)
Ratings: 250 V~, 6 A
Designation: 2-gang 1-way pushbutton
Type of term.: screwless

Ref. no.	Color	Type
7 211 17	white	basic model
7 213 17	aluminium	basic model
7 214 17	black	basic model
7 212 17	ivory	basic model

Type reference: SU001 (with "SUNO" design)
Ratings: 250 V~, 10 AX
Designation: one-way switch
Type of term.: screwless

Ref. no.	Color	Type
7 211 01	white	basic model
7 211 11	white	illuminated
7 213 01	aluminium	basic model
7 213 11	aluminium	illuminated
7 214 01	black	basic model
7 214 11	black	illuminated
7 212 01	ivory	basic model
7 212 11	ivory	illuminated



Date: 2023-03-16

Signature:


Tötös Tamás László

Additional information :

Type reference: BI10V1 (with "SUNO" design)
Ratings: 250 V~, 10 AX
Designation: two-pole switch
Type of term.: with screw

Ref. no.	Color	Type
7 211 02	white	basic model
7 211 12	white	illuminated
7 213 02	aluminium	basic model
7 213 12	aluminium	illuminated
7 214 02	black	basic model
7 214 12	black	illuminated
7 212 02	ivory	basic model
7 212 12	ivory	illuminated

Type reference: PE10V1 (with "SUNO" design)
Ratings: 250 V~, 10 AX
Designation: intermediate switch
Type of term.: with screw

Ref. no.	Color	Type
7 211 07	white	basic model
7 213 07	aluminium	basic model
7 214 07	black	basic model
7 212 07	ivory	basic model

Type reference: SU003 (with "SUNO" design)
Ratings: 250 V~, 10 AX
Designation: 1-way 2-gang switch
Type of term.: screwless

Ref. no.	Color	Type
7 211 05	white	basic model
7 211 15	white	illuminated
7 213 05	aluminium	basic model
7 213 15	aluminium	illuminated
7 214 05	black	basic model
7 214 15	black	illuminated
7 212 05	ivory	basic model
7 212 15	ivory	illuminated



Date: 2023-03-16

Signature:


Tötös Tamás László

Additional information :

Type reference: SU004 (with "SUNO" design)
Ratings: 250 V~, 10 AX
Designation: 2-way switch
Type of term.: screwless

Ref. no.	Color	Type
7 211 06	white	basic model
7 211 16	white	illuminated
7 213 06	aluminium	basic model
7 213 16	aluminium	illuminated
7 214 06	black	basic model
7 214 16	black	illuminated
7 212 06	ivory	basic model
7 212 16	ivory	illuminated

Type reference: SU005 (with "SUNO" design)
Ratings: 250 V~, 10 AX
Designation: 2-way 2-gang switch
Type of term.: screwless

Ref. no.	Color	Type
7 211 08	white	basic model
7 211 18	white	illuminated
7 213 08	aluminium	basic model
7 213 18	aluminium	illuminated
7 214 08	black	basic model
7 214 18	black	illuminated
7 212 08	ivory	basic model
7 212 18	ivory	illuminated

Type reference: SU002 (with "SUNO" design)
Ratings: 250 V~, 16 AX
Designation: 1-way switch
Type of term.: screwless

Ref. no.	Color	Type
7 211 04	white	basic model
7 211 14	white	illuminated
7 213 04	aluminium	basic model
7 213 14	aluminium	illuminated
7 214 04	black	basic model
7 214 14	black	illuminated
7 212 04	ivory	basic model
7 212 14	ivory	illuminated