

## IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

## CB TEST CERTIFICATE

Product

Fixed socket-outlet

Name and address of the applicant

**LEGRAND FRANCE**  
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY  
87045 LIMOGES CEDEX - FRANCE

Name and address of the manufacturer

**LEGRAND MAGYARORSZAG VILLAMOSSAGI RENDSZEREK ZRt**  
IPARTELEPI UT 14 PF 10  
6600 SZENTES - HUNGARY

Name and address of the factory

See annex

Note: When more than one factory, please report on page 2

 Additional Information on page 2

Ratings and principal characteristics

16 A , 250 V~  
See Annex

Trademark (if any)



Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

VALENA  
See Annex

Additional information (if necessary may also be reported on page 2)

Supersedes CBTC FR 688871B dated 06/10/2016: Addition of product references

 Additional Information on page 2


A sample of the product was tested and found to be in conformity with

IEC 60884-1:2002(ed.3) +A1:2006 +A2:2013

As shown in the Test Report Ref. No. which forms part of this Certificate

60051320-552098/A1, 60051320-552106, 131583-665021A,  
136897-675811A, 141929-686052A, 143025-688869A,  
158526-730178D, 158526-730178F

This CB Test Certificate is issued by the National Certification Body

LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)LABORATOIRE CENTRAL DES  
INDUSTRIES ELECTRIQUES  
S.A.S au capital de 153745000 €  
RCS Nanterre 3408363174  
33 Avenue du Général Leclerc  
F – 92266 FONTENAY AUX ROSES

Date: 09/04/2019

Signature: **Jean-François BRUEL**  
Certification Officer

## ANNEX

**Name and address of the factories:****DONGGUAN ROCOM ELECTRIC COMPANY LIMITED**

No. 5, Hong'An Road, Wu Sha District, Chang'an Town, Dongguan City  
523857 GUANGDONG PROVINCE  
- CHINA

**NP PLASTIC HUNGARIA**


IPARIS PARK 07/6  
5440 KUNSZENMARTON  
- HUNGARY

**LEGRAND MAGYARORSZAG VILLAMOSSAGI RENDSZEREK ZRT**

IPARTELEPI UT 14 PF 10  
6600 SZENTES  
- HUNGARY



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 09/04/2019


Signature: **Jean-François BRUEL**  
Certification Officer

**References, ratings and main characteristics:**

Feuille de norme	V CEE7 - I CEE7
Courant nominal (A) Tension nominale (V)	16 A 250 V~
Degré de protection	IP20 IP44 (7 531 79 - 7 533 04)
Présence de contact de terre	with earthing contact without earthing contact
Procédé de raccordement du câble	rewirable
Type des bornes	screw-type screwless (rigid and flexible)
Degré de protection contre les chocs électriques	normal protection
Présence des obturateurs	with shutters without shutters
Mode de pose - utilisation	surface type (with surface box) flush type
Procédé d'installation	Design A



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 09/04/2019

Signature: **Jean-François BRUEL**  
Certification Officer

**Mechanisms**


type reference	INMATIC reference without cover	reference IP 44 with cover and without plate	LIFE						Number of sockets	Terminals	Shutter	Specificity
			References with cover and without plate									
			white	ivory	alu	red	orange	green				
7 53X 16 NDP12	7 530 16		7 531 16 7 534 16	7 532 16 7 535 16	7 533 16 7 536 16				2P	slt	with	
7 53X 81 NDF11	7 530 81		7 531 81	7 532 81	7 533 81				2P+E	slt	without	
7 53X 80 NDF12	7 530 80	7 531 79	7 531 80	7 532 80	7 533 80	7 531 89	7 532 89	7 533 89	2P+E	slt	with	
7 53X 85 NDF21	7 530 85		7 531 85	7 532 85	7 533 85				2P+E	st	without	
7 53X 84 NDF22	7 530 84		7 531 84	7 532 84	7 533 84				2P+E	st	with	
			7 531 11	7 532 11					2P+E	slt	with	with USB charger
7 53X 82 PFAD1			7 531 82	7 532 82	7 533 82				2 x 2P+E	slt	with	
7 53X 83 PFAT1			7 531 83	7 532 83	7 533 83				3 x 2P+E	slt	with	
						7 531 91			2P+E	st	with	tamperproof
7 53X 88 PFV2	7 530 88		7 531 88	7 532 88	7 533 88				2P+E	st	with	
LXX08			7 531 36	7 532 36	7 533 36				2P+E	slt	with	with USB type C

**ALLURE**

type reference	reference IP 44 with cover and without plate	References with cover and without plate						Number of sockets	Terminals	Shutter	Specificity
		white	ivory	alu	red	black	pearl				
7 53X 16 NDP12		7 549 85	7 549 86	7 549 87		7 549 88	7 549 89	2P	slt	with	
7 53X 80 NDF12	7 553 04	7 558 78	7 558 79	7 558 80		7 558 81		2P+E	slt	with	
7 53X 84 NDF22		7 558 82	7 558 83	7 558 84		7 558 85		2P+E	st	with	
		7 556 83						2P+E	slt	with	with USB charger
					7 531 92			2P+E	st	with	tamperproof
LXX08		7 531 95	7 531 96	7 531 97				2P+E	slt	with	with USB type C

slt : screwless terminals, st : screw terminals

Component	Model	Manufacturer	Conformity
USB charger	154276	FRIWO Gerätebau GmbH	SIQ (CB)
USB type C	LXX08	LEGRAND	TR LCIE 158526-730181


 LCIE – Laboratoire Central des Industries Electriques  
 33, avenue du Général Leclerc – BP8  
 FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)

 Signature: **Jean-François BRUEL**  
 Certification Officer

Date: 09/04/2019

## ACCESSORIES

## Cover

	LIFE					ALLURE				
	2P	2P+E	2P+E with lid	2P+E for pilot light	2P+E 7 530 88	2P	2P+E	2P+E with lid	2P+E for pilot light	2P+E 7 530 88
White	7 549 70	7 553 00	7 548 60	7 548 70	7 553 50	7 549 75	7 553 05	7 548 65	7 548 75	7 553 55
Ivory	7 549 71	7 553 01	7 548 61	7 548 71	7 553 51	7 549 76	7 553 06	7 548 66	7 548 76	7 553 56
Aluminium	7 549 72	7 553 02	7 548 62	7 548 72	7 553 52	7 549 77	7 553 07	7 548 67	7 548 77	7 553 57
Black						7 549 78	7 553 08	7 548 68	7 548 78	7 553 58
Pearl						7 549 79	7 553 09	7 548 69	7 548 79	7 553 59

## Surface box

	ALLURE		LIFE	
	1 gang	2 gangs	1 gang	2 gangs
White	7 555 51	7 555 52	7 541 91	7 541 92
Ivory	7 555 61	7 555 62	7 542 01	7 542 02
Aluminium	7 555 71	7 555 72	7 542 11	7 542 12

## Adaptator MOSAIC

	LIFE
White	7 521 44
Aluminium	7 523 44


Blank	ALLURE	LIFE
White	7 551 85	7 551 80
Ivory	7 551 86	7 551 81
Aluminium	7 551 87	7 551 82

## Pilot light

indicator white 230V	0 676 64
----------------------	----------



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Signature: **Jean-François BRUEL**  
Certification Officer

Date: 09/04/2019

Plate		LIFE					
design	Color	1 gang	2 gangs	3 gangs	4 gangs	5 gangs	5 modules
basic	White	7 540 01 7 540 07	7 540 02	7 540 03	7 540 04	7 540 05	7 540 06
	Ivory	7 540 41 7 540 47	7 540 42	7 540 43	7 540 44	7 540 45	7 540 46
color	Terracotta	7 540 71	7 540 72	7 540 73	7 540 74	7 540 75	
	Lime	7 540 81	7 540 82	7 540 83	7 540 84	7 540 85	
	Adria	7 540 91	7 540 92	7 540 93	7 540 94	7 540 95	
paint full	Aluminium	7 541 31 7 541 37	7 541 32	7 541 33	7 541 34	7 541 35	7 541 36
	Pearl	7 541 41	7 541 42	7 541 43	7 541 44	7 541 45	
basic+	White / chrome	7 540 31	7 540 32	7 540 33	7 540 34	7 540 35	
	Ivory / gold	7 540 61	7 540 62	7 540 63	7 540 64	7 540 65	
fake imitation	Dark Wood	7 541 71	7 541 72	7 541 73	7 541 74	7 541 75	
	Light Wood	7 541 81	7 541 82	7 541 83	7 541 84	7 541 85	
	Inox Style	7 541 51	7 541 52	7 541 53	7 541 54	7 541 55	
	Copper Style	7 541 61	7 541 62	7 541 63	7 541 64	7 541 65	
graph	Royal White	7 541 01	7 541 02	7 541 03	7 541 04	7 541 05	
	Royal Ivory	7 541 11	7 541 12	7 541 13	7 541 14	7 541 15	
	Link	7 541 21	7 541 22	7 541 23	7 541 24	7 541 25	
labelholder	White	7 540 11	7 540 12	7 540 13			
	Ivory	7 540 51	7 540 52	7 540 53			
IP44 IK07	White	7 540 21					

		ALLURE					
design	Color	1 gang	2 gangs	3 gangs	4 gangs	5 gangs	5 modules
basic	White	7 543 01	7 543 02	7 543 03	7 543 04	7 543 05	7 543 06
	Ivory	7 543 11	7 543 12	7 543 13	7 543 14	7 543 15	7 543 16
paint	Aluminium	7 543 91	7 543 92	7 543 93	7 543 94	7 543 95	7 543 96
	Mat Black	7 544 01	7 544 02	7 544 03	7 544 04	7 544 05	7 544 06
	Pearl	7 544 11	7 544 12	7 544 13	7 544 14	7 544 15	7 544 16
	Narcis Chrome	7 543 41	7 543 42	7 543 43	7 543 44	7 543 45	
	Narcis Gold	7 543 51	7 543 52	7 543 53	7 543 54	7 543 55	
	Flora	7 543 61	7 543 62	7 543 63	7 543 64	7 543 65	
	White Zen	7 543 71	7 543 72	7 543 73	7 543 74	7 543 75	
	Ivory Zen	7 543 81	7 543 82	7 543 83	7 543 84	7 543 85	
plaquage	White Mirror	7 544 21	7 544 22	7 544 23	7 544 24	7 544 25	
	Black Baroque	7 544 31	7 544 32	7 544 33	7 544 34	7 544 35	
	Purple Baroque	7 544 41	7 544 42	7 544 43	7 544 44	7 544 45	
	Leather	7 544 51	7 544 52	7 544 53	7 544 54	7 544 55	
	Walnut	7 544 61	7 544 62	7 544 63	7 544 64	7 544 65	
	Carbon	7 544 71	7 544 72	7 544 73	7 544 74	7 544 75	
matière	Leaf	7 544 81	7 544 82	7 544 83	7 544 84	7 544 85	
	Wires	7 544 91	7 544 92	7 544 93	7 544 94	7 544 95	
	Light nickel	7 555 01	7 555 02	7 555 03	7 555 04	7 555 05	
	Dark nickel	7 555 11	7 555 12	7 555 13	7 555 14	7 555 15	
	Palace Marble	7 555 21	7 555 22	7 555 23			
	Black Glass	7 555 31	7 555 32	7 555 33	7 555 34	7 555 35	
	White Glass	7 555 41	7 555 42	7 555 43	7 555 44	7 555 45	



LCIE – Laboratoire Central des Industries Electriques  
33, avenue du Général Leclerc – BP8  
FR 92 266 Fontenay aux Roses Cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 09/04/2019

Signature: **Jean-François BRUEL**  
Certification Officer