



ASSOCIAZIONE PER LA CERTIFICAZIONE
DELLE APPARECCHIATURE ELETTRICHE

Via Tito Livio, 5 – 24123 – BERGAMO (Italy)
Tel. +390354175244 fax. +390354534662 e-mail:acaecert@tin.it



Certificate of Conformity

LOVAG-Certificate No. **IT 12.075**

Page 1 of 2

Apparatus

Three phases low voltage switchgear 415V (U_n/U_e) – 690V (U_i) – 4kV (U_{imp})
– 25kA (I_{cc}) – 50Hz – 475A (I_{nA})

Designation

XL³800 - VX³800

Manufacturer or responsible vendor

Legrand S.n.c. – 128, Av. du Maréchal-de-Lattre-de-Tassigny
87045 Limoges Cedex (France)

Tested for: Legrand S.n.c.

Tested by: ACAE Laboratory IB 01

The apparatus, constructed in accordance with the description mentioned in the Test Report listed on this Certificate has been subjected to the series of proving tests in accordance with IEC 61439-2 Ed.2 (2011-8)
EN 61439-2:2011

- 10.3 Degree of protection
- 10.4 Clearances and creepage distances
- 10.9 Dielectric properties
- 10.10.2.3.5 Temperature rise
- 10.13 Mechanical operation

The results are shown in the Test Report in accordance to LOVAG. The values obtained and the general performance are considered to comply with the above Standard(s) and to justify the characteristics assigned by the manufacturer as stated below:

IP 40 – 415V (U_n/U_e) – 4kV (U_{imp}) – 200 mechanical operations –
Rated currents and diversity factor as in the table of page 2

Responsible Certification Body : ACAE
Mauro Marchi

Authorized signature

Date: 2012.10.29



PRD N°070B
Signatory of EA, IAF and ILAC
Mutual Recognition Agreements

This certificate applies only to the apparatus tested. The responsibility for conformity of any apparatus having the same designation with that tested rests with the manufacturer or responsible vendor.

This certificate has been prepared according to LOVAG (Low Voltage Agreement Group) Objectives and Operating Principles of mutual recognition.

The responsible certification body as member of LOVAG issues a Certificate of Conformity with the above mentioned Standard(s) following the exclusive use of LOVAG Test Instructions wherever applicable.

Only integral reproduction of this Certificate or reproductions of this page accompanied by any page(s) on which are stated the tests performed and the assigned rated characteristics of the apparatus Tested, are permitted without written permission from the LOVAG Laboratory responsible for this Certificate.

Expiry of this certificate is subject to the ACAE certification scheme.