

NILOÉ STEP

8 631 56 / 57 / 58 / 59 / 60 / 61 / 62 / 63 / 64 / 65 / 66 / 67 / 68 / 69 / 70
 8 633 56 / 57 / 58 / 59 / 60 / 61 / 62 / 63 / 64 / 65 / 66 / 67 / 68 / 69 / 70
 8 634 56 / 57 / 58 / 59 / 60 / 61 / 62 / 63 / 64 / 65 / 66 / 67 / 68 / 69 / 70
 8 635 56 / 57 / 58 / 59 / 60 / 61 / 62 / 63 / 64 / 65 / 66 / 67 / 68 / 69 / 70
 8 640 42 / 43 / 44 / 45 / 46 / 47 / 48 / 49
 8 649 42 / 43



	-10°C ... +70°C	-5°C ... +40°C

RJ 11 4 3 2 1	+	RJ 45 Cat. 6 UTP 8 7 6 5 4 3 2 1
-----------------------------	---	--

8 631 56 8 633 56 8 634 56 8 635 56	
--	--

RJ 11
4 3 2 1

33 mm

26 AWG < \varnothing < 21 AWG

\varnothing 1,4 mm max.


OK

NT



TLn₁

TLn_n


	<p>RJ11 RJ11</p> <p>A B</p>	<p>RJ 45 Cat. 6 UTP</p> 8 7 6 5 4 3 2 1
	<p>RJ11 RJ11</p> <p>A B</p>	



8 640 42 / 44 / 46 / 48









8 640 43 / 45 / 47 / 49



8 631 57 / 59 / 61 / 63 / 65 / 67 / 69
 8 633 57 / 59 / 61 / 63 / 65 / 67 / 69
 8 634 57 / 59 / 61 / 63 / 65 / 67 / 69
 8 635 57 / 59 / 61 / 63 / 65 / 67 / 69
 8 649 42

8 631 58 / 60 / 62 / 64 / 66 / 68 / 70
 8 633 58 / 60 / 62 / 64 / 66 / 68 / 70
 8 634 58 / 60 / 62 / 64 / 66 / 68 / 70
 8 635 58 / 60 / 62 / 64 / 66 / 68 / 70
 8 649 43

	 UTP 	 FTP 	 STP 
CAT5E	8 631 59 / 60, 8 633 59 / 60 8 634 59 / 60, 8 635 59 / 60	8 631 57 / 58 8 633 57 / 58 8 634 57 / 58 8 635 57 / 58	-
CAT6	8 631 56 / 63 / 64 8 633 56 / 63 / 64 8 634 56 / 63 / 64 8 635 56 / 63 / 64 8 640 42 / 43 / 44 / 45 8 649 42 / 43	8 631 61 / 62 8 633 61 / 62 8 634 61 / 62 8 635 61 / 62	8 631 65 / 66 8 633 65 / 66 8 634 65 / 66 8 635 65 / 66 8 640 46 / 47
CAT6A	8 631 67 / 68 8 633 67 / 68 8 634 67 / 68 8 635 67 / 68	-	8 631 69 / 70 8 633 69 / 70 8 634 69 / 70 8 635 69 / 70 8 640 48 / 49

