


Product End of Life Instructions


FORTA Actuators (NSR)

Note:

This EoLI only applies to the *Non-Spring Return* offer within the FORTA Actuator product family, see the *Additional similar product references* section on the last page for all the affected commercial references.



 **End of Life Instructions**



| Recommendation | Number on drawing | Component / Material | Weight (in g) | Comment |
|------------------|-------------------|--------------------------------------|---------------|-----------------------------------|
| To be dismantled | 1 | Metal Parts | 1133g | Aluminium, Steel, Stainless Steel |
| To be depolluted | 2 | Motor Assembly | 143g | |
| To be depolluted | 3 | Electronic Board > 10cm ² | 44.5g | PCBA |
| To be dismantled | 4 | Plastic Parts | 275g | POM, PA66, PC+ABS FR |
| To be dismantled | 5 | Screws | 36g | Steel |



Product description

| | | |
|--|---|--|
| Manufacturer identification | Schneider Electric Industries SAS | |
| Brand name | FORTA Actuators | |
| Product function | These FORTA Actuators, are non-spring return linear electro-mechanical actuators for the control of linear globe and/or PIBCV control valves. They are designed to control and regulate a heating or cooling medium through an attached valve, as part of an assembly, operating at average 20% duty cycle over 10 years. | |
| Product reference | 8800310030 | |
| Additional similar product references | 8800070030 8800210030 8800211030 8800230030 8800231030 8800311030 8800450000 8800451000 8800610000 8800611000 8800620000 8800621000 8800650000 8800651000 MG600C | MG600C-S MP500C M400A M400A-S2 M400A-VB M400A-S2-VB M800A M800A-S2 M800A-VB M800A-S2-VB M1500A M1500A-S2 M1500A-VB M1500A-S2-VB |
| Total representative product mass | 1695g – 1760g | |
| Representative product dimensions | H x L x D = 235mm x 175mm x 115mm | |
| Accessories | | |
| Date of information release | 10/2018 | |



Additional information

| | | |
|---|---|---|
| Legal information | The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product. This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). | |
| In case of special transportation: transportation method | | |
| Recyclability potential | 89% | Based on “ECO’DEEE recyclability and recoverability calculation method” (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME). |

Schneider Electric Industries SAS

35, rue Joseph Monier
CS 30323
F- 92506 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €
www.schneider-electric.com