

Product End of Life Instructions

ILM62 Connexion Module






Potential disassembly risks

ELECTROLYTIC CAPACITORS to be disassembled with caution



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Power) > 10cm ²	937	
To be depolluted	2	Electrolyte capacitors which size: height > 25 mm, diameter > 25 mm or proportionately similar volume	35	x4
To be depolluted	3	Cable (high current)	12	



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The ILM62 Connexion Module supplies the ILM62 Servo Modules with DC voltage from the DC bus via a hybrid cable or via a power cable (Daisy Chain wiring). Additionally, the ILM62 Connexion Module provides the Inverter Enable and sercos interface.
Product reference	ILM62CM20A000
Total representative product mass	2200 g
Representative product dimensions	310mm x 44,5mm x 270mm
Date of information release	10/2018



Additional information

Legal information	The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
Recyclability potential	53% Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier
CS 30323
F- 92506 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €

www.schneider-electric.com

ENVEOLI1407008_V2

Published by Schneider Electric

© 2020- Schneider Electric – All rights reserved

10/2018