

## APG 11 L (785 811)

- Excellent fit due to special glove cut
- Good touch sensitivity due to soft leather glove palm
- Breathable materials maximise wearing comfort



Figure without obligation

Find the right size to get the perfect fit with your DEHN care personal protective equipment.

Glove - Determine size (cm):



Please use a tape measure to measure the circumference of your hand at the knuckles (without the thumb). Your hand should be open with the fingers together.

DEHNcare APG - normal gauntlet (cm)    DEHNcare APG - long gauntlet

| Ordering size      | DEHNcare APG - normal gauntlet (cm) |     |     |     |     | DEHNcare APG - long gauntlet |     |     |     |     |
|--------------------|-------------------------------------|-----|-----|-----|-----|------------------------------|-----|-----|-----|-----|
|                    | 8                                   | 9   | 10  | 11  | 12  | 8                            | 9   | 10  | 11  | 12  |
|                    | M                                   | L   | XL  | 2XL | 3XL | M                            | L   | XL  | 2XL | 3XL |
| Total length       | 310                                 | 315 | 325 | 330 | 335 | 440                          | 450 | 455 | 460 | 465 |
| Gauntlet length    | 115                                 | 115 | 115 | 115 | 115 | 250                          | 250 | 250 | 250 | 250 |
| Hand circumference | 220                                 | 240 | 250 | 265 | 270 | 220                          | 240 | 250 | 265 | 270 |

Figure without obligation

| Type                                                             | APG 11 L                                     |
|------------------------------------------------------------------|----------------------------------------------|
| Part No.                                                         | 785 811                                      |
| Arc fault protection class (box test 7 kA / 0.5 s – single-pole) | APC 2                                        |
| Arc energy ( $W_{arc}$ or $W_{LBP}$ )                            | 320 kJ                                       |
| Arc Rating – ATPV (Open Arc Test)                                | 32.8 cal / cm <sup>2</sup>                   |
| PPE category (NFPA 70E)                                          | PPE 3                                        |
| Total length                                                     | 460 mm                                       |
| Gauntlet length                                                  | 250 mm                                       |
| Size (international)                                             | 11 (XXL)                                     |
| Material (glove palm)                                            | Siliconised calf grain leather               |
| Material (glove back)                                            | 100% Kevlar® interlock knit                  |
| Material (sewing thread)                                         | Kevlar®                                      |
| Standard                                                         | IEC 61482-1-2; IEC 61482-1-1; EN 388, EN 407 |
| Performance level EN 388:2016+A1:2018                            | 2133X                                        |
| Performance level EN 407:2020                                    | 4X3XXX                                       |
| Weight                                                           | 1 Pa/pc(s)                                   |
| Customs tariff number (Comb. Nomenclature EU)                    | 42032910                                     |
| GTIN                                                             | 4013364242319                                |
| PU                                                               | 1 Pa                                         |

We reserve the right to introduce changes in performance, configuration and technology, dimensions, weights and materials in the course of technical progress. The figures are shown without obligation.