

## EFP 16 RN M12 35 SSM (790 251)

- With threaded pin and self-locking nut



Figure without obligation




Figure without obligation

Type	EFP 16 RN M12 35 SSM
Part No.	790 251
Dimensions	M12 x 35 mm
Diameter	16 mm
Wrench size	22 mm
Max. cable cross-section Cu	150 mm <sup>2</sup>
Max. short-circuit current I <sub>k</sub> 0.5 s	42.0 <sup>*)</sup> kA
Max. short-circuit current I <sub>k</sub> 1 s	29.6 <sup>*)</sup> kA
Standard	EN/IEC 61230 (DIN VDE 0683-100) and DIN 48088-2
Material	Brass (CuNi2Si) / gal Sn
Material (threaded pin)	StSt A2-70
Material (nut)	DIN 985-M12-8 / gal Zn
Tightening torque	50 ... 65 Nm
Weight	248 g
Customs tariff number (Comb. Nomenclature EU)	85359000
GTIN	4013364089501
PU	1 pc(s)

<sup>\*)</sup> For earthing and short-circuiting devices with cable lengths > 4000 mm: 26.5 kA / 0.5 s (18.7 kA / 1 s)

We reserve the right to introduce changes in performance, configuration and technology, dimensions, weights and materials in the course of technical progress. The figures are shown without obligation.