

PCE data sheet


article#	845-6v
article description	CEE-flanged socket Design 16A 5p 6h IP44 (white)
description long	CEE-flanged socket Design 16A 5p 6h IP44 (white) housing material: PC/ABS rated current: 16A number of poles: 5 (3P+N+PE) clock-position: 6h rated voltage/frequency: 200/346V~ - 240/415V~ / 50+60Hz contacts: brass nickel plated connection technology: screw terminals color: white (similar to RAL 9016) for installation in cable trunking hinged lid with inscription field (optional: key lock) IP protection class: IP44
GTIN (EAN)	9003399081798
country of origin	AT
customs number	85366990
net weight	0.231 kg
packaging quantity	6



ETIM 7.0	EC001318
Current supply	CEE 16 A
Number of poles	5
Voltage acc. EN 60309-2	400 V (50+60 Hz) red
Clock hour position	6 h
Identification colour	Red
Construction type	Equipment mounted socket outlet (under plaster)
Configuration	Cover with text label
Colour	White
RAL-number	9016
Contact material	CuZn
Surface finish contacts	Nickel-plated



wire flexible	1-2,5 mm ²
wire solid	1-4 mm ²
contact screws	100 Ncm
dismantling length	50 mm
stripping length	10-12 mm



www.manufacturer-safety.info