


---




## DAMPPROOF 5x THROUGHWIRING IP65

---



	EAN	l x w x h [mm]	W	V <sub>AC</sub>	Hz	lm	lm/W	K
<b>DP 5TH 1200 32W 840 IP65 GY</b>	4058075541924	1200 x 82 x 68	32	220-240V	50/60 Hz	4400	135	4000
<b>DP 5TH 1500 46W 840 IP65 GY</b>	4058075541948	1500 x 82 x 68	46	220-240V	50/60 Hz	6400	135	4000

	EAN	IP	IK	∠	R <sub>a</sub>	🔑 (°C)	PF	👤
<b>DP 5TH 1200 32W 840 IP65 GY</b>	4058075541924	65	08	110	> 80	-25...+40	> 0.9	1.6 kg
<b>DP 5TH 1500 46W 840 IP65 GY</b>	4058075541948	65	08	110	> 80	-25...+40	> 0.9	1.9 kg




**1x**  
DAMPPROOF  
5TH IP65



**2x**  
DAMPPROOF  
5TH IP65









**3x**  
DAMPPROOF  
5TH IP65









**... nx**  
DAMPPROOF  
5TH IP65



n	B16	C10	C16
DAMPPROOF 1200	27	24	39
DAMPPROOF 1500	26	23	37







C10449057  
 G11125242  
 16.07.21



LEDVANCE GmbH  
 Steinerne Furt 62  
 86167 Augsburg, Germany  
[www.ledvance.com](http://www.ledvance.com)