



LED15 SMD GU10

Lampa z diodami LED / LED lamp



LED15 SMD GU10

rozsył światła / light distribution
 $\Delta = 120^\circ$



$E(0^\circ)$ - max natężenie w osi wiązki / max intensity in beam axis


Kanlux		
LED15 SMD GU10-WW	08940	2900-3500
LED15 SMD GU10-CW	08941	6200-6800

220-240V~	50/60Hz	2,5	2,5 - 22	15 LED SMD	GU10	210	120	≥ 80	20000	A		1/10/100	52	
-----------	---------	-----	----------	------------	------	-----	-----	-----------	-------	---	--	----------	----	--

źródło wykorzystuje diody LED SMD 5050 / light source uses SMD 5050 LEDs

LED24 SMD GU10

Lampa z diodami LED / LED lamp



LED24 SMD GU10

Kanlux				
NEW LED24 SMD GU10-WW	18471	3 - 26	2700-3200	270
NEW LED24 SMD GU10-CW	18470	3 - 28	5700-6300	300

220-240V~	50/60Hz	3	24 LED SMD	GU10	120	≥ 75	30000	>15000	A		1/10/100	55	
-----------	---------	---	------------	------	-----	-----------	-------	--------	---	--	----------	----	--

źródło wykorzystuje diody LED SMD 5050 / light source uses SMD 5050 LEDs